

Shelbourne

REYNOLDS



Pick Up Header

11, 13 and 15ft widths

One piece belt

Steel or plastic fingers

Hydraulic or mechanical drive

Shelbourne

Pick Up Header



The Shelbourne range of Pick Up Headers are designed for picking up a wide range of swaths including wheat, barley, grass seed, oilseed rape and borage. They are designed to fit most modern combine harvesters using a simple bolt on adaptor plate.

Two models are available, the fully hydraulic version uses a pto input from the combine and then using a self contained hydraulic system powers both the auger and draper. A cab mounted electronic control box allows the operator to control draper speed as well as reverse the header independently of the combine feederhouse to clear obstructions. The simpler mechanical drive version drives the auger mechanically direct from the combine pto and then uses the combines hydraulic reel drive service to power the draper.

Features and Benefits

- One piece draper with cross ribs to maximise crop recovery
- Large diameter deep flighted floating auger accommodates even the largest swaths
- Draper mounted skids or castor wheels available for height control and draper protection
- Adaptor plate system allows the header to be switched from one combine to another



The Shelbourne Pick Up Headers are designed to fit most mo

Hydraulic Drive

- Gives electronic control from cab
- Available in 11ft (3.3m), 13ft (3.9m) and 15ft (4.5m) pick-up widths




Mechanical Drive

- Direct mechanical drive from combine
- Available in 13ft (3.9m) and 15ft (4.5m) pick-up widths



Pick Up Header

Technical Data



Model	Hydraulic/ Mechanical	Effective Pick Up Width	Overall Width (Caster Wheels)	Overall Width (Skids Fitted)	Weight
PU11H	Hydraulic	3316mm (10' 10")	4339mm (14' 2")	3980mm (13')	1000kg
PU13H	Hydraulic	3916mm (12' 10")	4930mm (16' 2")	4580mm (15')	1160kg
PU13M	Mechanical	3916mm (12' 10")	4930mm (16' 2")	4580mm (15')	1160kg
PU15H	Hydraulic	4516mm (14' 10")	5530mm (18' 2")	5180mm (17')	1320kg
PU15M	Mechanical	4516mm (14' 10")	5530mm (18' 2")	5180mm (17')	1320kg

Shelbourne Reynolds Engineering Ltd. Shepherds Grove, Stanton,
Bury St. Edmunds, Suffolk, IP31 2AR **T:** 01359 250415 **F:** 01359 250464