




DOWNLOAD THE STRIPPER HEADER APP

SCAN THIS
QR CODE:



Or visit your
App Store
and search
Shelbourne
Reynolds



“ THE SHELBOURNE HEADER HAS BEEN DEVELOPED TO REDUCE THE AMOUNT OF STRAW TAKEN INTO THE COMBINE AND SIGNIFICANTLY INCREASES ITS CAPACITY ”


Shelbourne

CVS STRIPPER HEADER TECHNICAL DATA

FIND US:



	A	B	C	D	WEIGHT (APPROX.)
CVS 14	1152mm 3'9"	2105mm 6'11"	4200mm 13'9"	4636mm 15'3"	1183kg 2608lbs
CVS 16	1152mm 3'9"	2226mm 7'4"	4800mm 15'9"	5255mm 17'3"	1355kg 2981lbs
CVS 18	1152MM 3'9"	2226mm 7'4"	5400mm 17'9"	5870mm 19'3"	1540kg 3394lbs
CVS 20	1152mm 3'9"	2226mm 7'4"	6000mm 19'8"	6470mm 21'3"	1712kg 3773lbs
CVS 22	1152mm 3'9"	2226mm 7'4"	6600mm 21'8"	7070mm 23'2"	1883kg 4150lbs
CVS 24	1152mm 3'9"	2226mm 7'4"	7200mm 23'7"	7670mm 26'2"	2200kg 4851lbs
CVS 28	1152mm 3'9"	2226mm 7'4"	8400mm 27'7"	8870mm 29'1"	2630kg 5800lbs
CVS 32	1152mm 3'9"	2226mm 7'4"	9600mm 31'6"	10070mm 33'	2890kg 6370lbs



For complete details of the correct sizes and fitting for the combine on which the Shelbourne Header is intended to be used, please contact your local Shelbourne Reynolds Dealer or the factory direct.

SHELBOURNE REYNOLDS
ENGINEERING LTD.

SHEPHERDS GROVE, STANTON, BURY ST EDMUNDS,
SUFFOLK, IP31 2AR T: 01359 250415 F: 01359 250464

SHELBOURNE REYNOLDS
INC.

1250 SOUTH COUNTRY CLUB DRIVE, COLBY, KANSAS,
67701, USA T: 785-462-6299 F: 785-462-6761
SHELBOURNE.COM